


Wi-Fi Network Report



Name: **монарх**

Location:

Responsible Person:


Wi-Fi Network Report

Project description

Wi-Fi Network Report

Склад Ангар 4 схема

Survey routes and Access Points for Склад Ангар 4 схема



Coverage Requirement: **Ekaheu Best Practices**

Wi-Fi Network Report


2.4 GHz	Signal Strength Min	-67.0 dBm
	Signal-to-Noise Ratio Min	20.0 dB
	Data Rate Min	24 Mbps
	Channel Interference Max	2 at min. -85.0 dBm
	Round Trip Time (RTT) Max	200 ms
	Packet Loss Max	0.0 %
5 GHz	Signal Strength Min	-67.0 dBm
	Secondary Signal Strength Min	-67.0 dBm
	Signal-to-Noise Ratio Min	25.0 dB
	Data Rate Min	24 Mbps
	Channel Interference Max	1 at min. -85.0 dBm
	Round Trip Time (RTT) Max	200 ms
6 GHz	Signal Strength Min	-67.0 dBm
	Secondary Signal Strength Min	-67.0 dBm
	Signal-to-Noise Ratio Min	25.0 dB
	Data Rate Min	24 Mbps
	Channel Interference Max	1 at min. -85.0 dBm
	Round Trip Time (RTT) Max	200 ms
	Packet Loss Max	0.0 %

View as / Project Offset	Measured
--------------------------	----------

Wi-Fi Network Report

Signal Strength for Склад Ангар 4 схема on 2.4 GHz band

Signal Strength - sometimes called coverage - is the most basic requirement for a wireless network. As a general guideline, low signal strength means unreliable connections, and low data throughput.



Wi-Fi Network Report

Signal Strength for Склад Ангар 4 схема on 5 GHz band


Signal Strength - sometimes called coverage - is the most basic requirement for a wireless network. As a general guideline, low signal strength means unreliable connections, and low data throughput.



Wi-Fi Network Report

Secondary Signal Strength for Склад Ангар 4 схема on 2.4 GHz band

Secondary Signal Strength shows the second strongest RSSI on any given location on the map. This heatmap helps to ensure smooth roaming for clients and quality of service for certain latency-sensitive applications, such as VoIP calls.




-85 dBm

≥ -30 dBm

Wi-Fi Network Report

Secondary Signal Strength for Склад Ангар 4 схема on 5 GHz band


Secondary Signal Strength shows the second strongest RSSI on any given location on the map. This heatmap helps to ensure smooth roaming for clients and quality of service for certain latency-sensitive applications, such as VoIP calls.



Wi-Fi Network Report

Tertiary Signal Strength for Склад Ангара 4 схема on 2.4 GHz band

Tertiary Signal Strength is used to display the third strongest RSSI on any given point of the map. Tertiary Signal is mostly used to ensure sufficient quality of service for certain specialized services, such as Real-time Location (RTLS) applications.



-85 dBm

≥ -30 dBm

Wi-Fi Network Report

Tertiary Signal Strength for Склад Ангар 4 схема on 5 GHz band


Tertiary Signal Strength is used to display the third strongest RSSI on any given point of the map. Tertiary Signal is mostly used to ensure sufficient quality of service for certain specialized services, such as Real-time Location (RTLS) applications.



Wi-Fi Network Report

Signal To Noise Ratio (SNR) for Склад Ангар 4 схема on 2.4 GHz band

Signal-To-Noise Ratio indicates how much the signal strength is stronger than the noise (co-channel interference). Signal must be stronger than noise (SNR greater than zero) for data transfer to be possible. If the signal is only barely stronger than noise, you may encounter occasional connection drop-offs.



Wi-Fi Network Report



Wi-Fi Network Report

Signal To Noise Ratio (SNR) for Склад Ангар 4 схема on 5 GHz band

Signal-To-Noise Ratio indicates how much the signal strength is stronger than the noise (co-channel interference). Signal must be stronger than noise (SNR greater than zero) for data transfer to be possible. If the signal is only barely stronger than noise, you may encounter occasional connection drop-offs.




Wi-Fi Network Report



Wi-Fi Network Report

Channel Interference for Склад Ангар 4 схема on 2.4 GHz band

Channel interference indicates the number of access points overlapping at each location in a single channel.



Wi-Fi Network Report


Channel Interference for Склад Ангар 4 схема on 5 GHz band

Channel interference indicates the number of access points overlapping at each location in a single channel.



Number of APs for Склад Ангар 4 схема on 2.4 GHz band


Number of Access Points indicates the number of access points audible at each location.



Wi-Fi Network Report

Number of APs for Склад Ангар 4 схема on 5 GHz band

Number of Access Points indicates the number of access points audible at each location.




None

≥ 20

Wi-Fi Network Report

Noise for Склад Ангар 4 схема on 2.4 GHz band

Displays the noise level in the network as measured by the network adapter.




≤ -90 dBm

≥ -60 dBm

Wi-Fi Network Report

Noise for Склад Ангар 4 схема on 5 GHz band


Displays the noise level in the network as measured by the network adapter.



Wi-Fi Network Report

Data Rate for Склад Ангар 4 схема on 2.4 GHz band

Data Rate is the highest possible speed (measured in megabits per second) at which the wireless devices will be transmitting data. Typically the true data throughput is about half of the data rate or less.




1 Mb/s

315 Mb/s

Wi-Fi Network Report

Data Rate for Склад Ангар 4 схема on 5 GHz band

Data Rate is the highest possible speed (measured in megabits per second) at which the wireless devices will be transmitting data. Typically the true data throughput is about half of the data rate or less.




1 Mb/s

900 Mb/s

Wi-Fi Network Report

Throughput for Склад Ангар 4 схема on 2.4 GHz band


Displays the measured throughput. If no measured throughput is available, then the estimated maximum throughput is shown instead.



Wi-Fi Network Report

Throughput for Склад Ангар 4 схема on 5 GHz band

Displays the measured throughput. If no measured throughput is available, then the estimated maximum throughput is shown instead.




0 Mb/s

575 Mb/s

Wi-Fi Network Report

Associated Access Point for Склад Ангар 4 схема

Displays the access point the client device is associated with.
The image shows Predicted Association - Signal Strength




Wi-Fi Network Report

13	Measured AP-b8:68		Keenetic Limited	
	Wi-Fi 4	8@40	50:ff:20:62:b8:68	SSS
	● Wi-Fi 5	52@80	50:ff:20:62:b8:6a	SSS

Wi-Fi Network Report

Packet Loss for Склад Ангар 4 схема


Displays how many replies did not arrive to a sent packet.



Wi-Fi Network Report

Round-Trip Time for Склад Ангар 4 схема

Displays the average duration for a reply to a sent packet.




0 ms

1000 ms

Wi-Fi Network Report

Channel Utilization for Склад Ангар 4 схема on 2.4 GHz band


Channel utilization shows the share of time the spectrum power measured by spectrum analyzer high enough so that the channel can be considered as occupied.



Wi-Fi Network Report


Channel Utilization for Склад Ангар 4 схема on 5 GHz band

Channel utilization shows the share of time the spectrum power measured by spectrum analyzer high enough so that the channel can be considered as occupied.



Wi-Fi Network Report

Spectrum Channel Power for Склад Ангар 4 схема on 2.4 GHz band




-80 dBm

≥ -30 dBm

Wi-Fi Network Report

Spectrum Channel Power for Склад Ангар 4 схема on 5 GHz band




-80 dBm

≥ -30 dBm

Wi-Fi Network Report

Network Health for Склад Ангар 4 схема on 2.4 GHz band

Wi-Fi is typically built for a certain purpose or several purposes, such as VoIP, web browsing, or location tracking. With Network Health, you can, with a single visualization, display whether the network meets your requirements or not.



Fail

Pass

Wi-Fi Network Report

Network Health for Склад Ангар 4 схема on 5 GHz band


Wi-Fi is typically built for a certain purpose or several purposes, such as VoIP, web browsing, or location tracking. With Network Health, you can, with a single visualization, display whether the network meets your requirements or not.



Wi-Fi Network Report

Network Issues for Склад Ангар 4 схема on 2.4 GHz band

Network Issues complements Network Health by showing the requirement that is below the threshold level at each location. Whereas Network Health answers the question "Does it work?", Network Issues answers the question "If it doesn't work, why?".



1st STR	RTT	Ch. INT
---------	-----	---------

Wi-Fi Network Report

Network Issues for Склад Ангар 4 схема on 5 GHz band

Network Issues complements Network Health by showing the requirement that is below the threshold level at each location. Whereas Network Health answers the question "Does it work?", Network Issues answers the question "If it doesn't work, why?".




1st STR	2nd STR	RTT	Ch. INT
---------	---------	-----	---------

Wi-Fi Network Report


Bluetooth Coverage for Склад Ангар 4 схема

Bluetooth coverage shows how many Bluetooth radios are audible at each location.



Wi-Fi Network Report

Access Points on Склад Ангар 4 схема



Wi-Fi Network Report

My Access Points on Склад Ангар 4 схема

Simulated Access Points on Склад Ангар 4 схема

None.

Measured Access Points on Склад Ангар 4 схема

AP #	Access Point			
13	Measured AP-b8:68			
	Keenetic Limited			
	Wi-Fi 4	8@40	50:ff:20:62:b8:68	SSS
	Wi-Fi 5	52@80	50:ff:20:62:b8:6a	SSS

Wi-Fi Network Report

Other Access Points on Склад Ангар 4 схема

Simulated Access Points on Склад Ангар 4 схема

None.


Measured Access Points on Склад Ангар 4 схема

AP #	Access Point		
1	Measured AP-0c:18		
	Wi-Fi 3	8	b2:22:7a:55:0c:18 DIRECT-18-HP Laser 135w
2	Measured AP-2f:7d		
	Wi-Fi 3	8	b2:22:7a:5b:2f:7d DIRECT-7D-HP 135-B
3	Measured AP-7b:03		
	MikroTik		
	Wi-Fi 4	3@40	64:d1:54:b4:7b:03 monarh
4	Measured AP-7b:25		
	MikroTik		
	Wi-Fi 4	6@40	64:d1:54:b4:7b:25 monarh
5	Measured AP-7e:d9		
	MikroTik		
	Wi-Fi 4	9@40	64:d1:54:b1:7e:d9 monarh
6	Measured AP-7e:dd		
	MikroTik		
	Wi-Fi 4	9@40	64:d1:54:b1:7e:dd monarh
7	Measured AP-b1:bb		
	MikroTik		
	Wi-Fi 4	11	92:30:49:15:b1:bb DIRECT-GLLAPTOP-51IHPGOSms7U
8	Measured AP-b6:27		
	MikroTik		
	Wi-Fi 4	9@40	64:d1:54:b2:b6:27 monarh
9	Measured AP-b6:7b		
	MikroTik		
	Wi-Fi 4	6@40	64:d1:54:b2:b6:7b monarh
10	Measured AP-b6:8d		
	MikroTik		
	Wi-Fi 4	6@40	64:d1:54:b2:b6:8d monarh
11	Measured AP-b6:b9		
	MikroTik		
	Wi-Fi 4	9@40	64:d1:54:b2:b6:b9 monarh
12	Measured AP-b8:68		
	MikroTik		
	Wi-Fi 4	8@40	52:ff:20:72:b8:68 monarh-office
14	Measured AP-b8:6a		
	Wi-Fi 5	52@80	52:ff:20:72:b8:6a
15	Measured AP-e4:94		
	Wi-Fi 4	5@40	c0:4a:00:c7:e4:94 TP-LINK_C7E494
16	Measured AP-f6:6a		
	Wi-Fi 4	9	ee:fd:6a:a5:f6:6a realme C67

Wi-Fi Network Report

Channel Width for Склад Ангар 4 схема on 2.4 GHz band

Shows the maximum channel width available in each area.



20MHz 40MHz 80MHz 160MHz 320MHz

Wi-Fi Network Report

Channel Width for Склад Ангар 4 схема on 5 GHz band

Shows the maximum channel width available in each area.



20MHz


40MHz

80MHz

160MHz

320MHz

Bluetooth Devices on Склад Ангар 4 схема



My Bluetooth Devices on Склад Ангар 4 схема

Simulated Bluetooth Devices on Склад Ангар 4 схема

None.

Other Bluetooth Devices on Склад Ангар 4 схема

Simulated Bluetooth Devices on Склад Ангар 4 схема

None.

Wi-Fi Network Report

Measured Access Points not placed on any map

My Access Points not placed on any map

None.

Other Access Points not placed on any map

AP #	Access Point		
17	Measured AP-05:5f		Ubiquiti
	Wi-Fi 4	7@40	e0:63:da:de:05:5f ubnt
18	Measured AP-06:20		Tp-Link
	Wi-Fi 4	10@40	84:d8:1b:f1:06:20 TP-Link_0620
19	Measured AP-08:80		Ubiquiti
	Wi-Fi 4	1@40	24:5a:4c:34:08:80
20	Measured AP-08:f1		SHENZHEN BILIAN ELECTRONIC CO.LTD
	Wi-Fi 4	11	38:01:46:e4:08:f1 DIRECT-64-Pantum M6500 Series
21	Measured AP-0b:ce		
	Wi-Fi 4	1	6a:db:b3:ec:0b:ce Galaxy A319866
22	Measured AP-14:3d		Tp-Link
	Wi-Fi 4	7	b0:95:75:bd:14:3d TP-Link_143D
23	Measured AP-18:53		
	Wi-Fi 6	4@40	52:ff:20:74:18:53
24	Measured AP-18:53		
	Wi-Fi 6	4@40	52:ff:20:14:18:53 fd-Guest
25	Measured AP-18:53		Keenetic Limited
	Wi-Fi 6	4@40	50:ff:20:d4:18:53 fd
26	Measured AP-18:ec		Tp-Link
	Wi-Fi 4	1@40	3c:52:a1:46:18:ec MMS
27	Measured AP-1b:84		
	Wi-Fi 4	7	8a:28:7d:a0:1b:84 DIRECT-d8-Pantum M6550 Series
28	Measured AP-1c:34		Tp-Link
	Wi-Fi 4	10	98:da:c4:c1:1c:34 TP-Link_1C34
29	Measured AP-21:07		Tp-Link
	Wi-Fi 4	6@40	60:a4:b7:6c:21:07 TP-Link_2107
30	Measured AP-21:6a		AO
	Wi-Fi 4	3@40	d8:af:81:49:21:6a RT-WiFi-2169
31	Measured AP-28:2a		Tp-Link
	Wi-Fi 4	10@40	1c:3b:f3:34:28:2a TP-Link_282A
32	Measured AP-28:2c		Tp-Link
	Wi-Fi 5	44@80	1c:3b:f3:34:28:2c TP-Link_282A_5G
33	Measured AP-28:32		MikroTik
	Wi-Fi 4	1@40	64:d1:54:2b:28:33 Sklad
	Wi-Fi 5	36@80	64:d1:54:2b:28:32 Sklad5
34	Measured AP-2c:52		Tp-Link
	Wi-Fi 4	4@40	98:de:d0:80:2c:52 federal
35	Measured AP-2d:80		
	Wi-Fi 4	4	9a:25:4a:23:2d:80
36	Measured AP-2d:80		Tp-Link
	Wi-Fi 4	4	98:25:4a:43:2d:80 TP-Link_2D80
37	Measured AP-33:c6		Tp-Link
	Wi-Fi 4	6@40	d8:0d:17:1d:33:c6 Sergei_Beeline
38	Measured AP-36:02		Tp-Link
	Wi-Fi 4	4	5c:62:8b:f3:36:02 TP-Link_3604
	Wi-Fi 4	4	8e:62:8b:f3:36:02

Wi-Fi Network Report

39	Measured AP-39:96	Tp-Link	
	Wi-Fi 4 6@40	d8:47:32:fd:39:96	monarh
40	Measured AP-3b:78	Asustek	
	Wi-Fi 4 6	50:46:5d:6d:3b:78	ASUS
	Wi-Fi 4 44@40	50:46:5d:6d:3b:7c	ASUS
41	Measured AP-43:67		
	Wi-Fi 4 6	e2:70:ea:fa:43:67	DIRECT-67-HP M428dw LJ
42	Measured AP-4d:83	Tp-Link	
	Wi-Fi 4 10@40	74:da:88:6e:4d:83	TP-Link_4D83
43	Measured AP-50:0c	Tp-Link	
	Wi-Fi 6 9	1c:61:b4:4b:50:0d	Home_WI-FI
	Wi-Fi 6 44@80	1c:61:b4:4b:50:0c	Home_WI-FI5
44	Measured AP-50:0d		
	Wi-Fi 6 44@80	1e:61:b4:7b:50:0d	
45	Measured AP-50:0d		
	Wi-Fi 6 9	1e:61:b4:2b:50:0d	
46	Measured AP-57:c6	Tp-Link	
	Wi-Fi 4 6@40	f8:1a:67:9d:57:c6	StdMAX
47	Measured AP-59:c8	SHENZHEN ZHIBOTONG ELECTRONICS CO.,LTD	
	Wi-Fi 4 8@40	f8:5e:3c:56:59:c8	Office_809
48	Measured AP-5a:45	Netis Technology Co., Ltd.	
	Wi-Fi 4 1@40	04:5e:a4:c4:5a:45	netis_2.4G_C45A3E
49	Measured AP-5b:ff	Sercomm Corporation.	
	Wi-Fi 4 2@40	74:9d:79:4c:5b:ff	18-95
50	Measured AP-5e:7a		
	Wi-Fi 4 2@40	e2:0e:e4:e1:5e:7a	
51	Measured AP-5f:be	Ubiquiti	
	Wi-Fi 4 1@40	68:d7:9a:a2:5f:be	
52	Measured AP-63:d8	Ubiquiti	
	Wi-Fi 4 1	e0:63:da:46:63:d8	
53	Measured AP-67:0d	MikroTik	
	Wi-Fi 4 6@40	d4:01:c3:2e:67:0d	monarh
54	Measured AP-6d:c2	Tp-Link	
	Wi-Fi 4 1@40	b0:be:76:ae:6d:c2	wi-wi
55	Measured AP-6f:77	Tp-Link	
	Wi-Fi 6 2@40	b4:b0:24:f0:6f:77	TP-Link_6F78
56	Measured AP-76:02	Netis Technology Co., Ltd.	
	Wi-Fi 4 8@40	dc:8e:8d:62:76:02	netis_2.4G_627600
57	Measured AP-7a:a0	Sercomm Corporation.	
	Wi-Fi 4 1@40	78:94:b4:55:7a:a0	Beeline_2G_F178F2
58	Measured AP-7a:d5	MikroTik	
	Wi-Fi 4 3@40	64:d1:54:b4:7a:d5	monarh
	Wi-Fi 4 3@40	66:d1:54:b4:7a:d5	monarh-office
59	Measured AP-7b:1b	MikroTik	
	Wi-Fi 4 9@40	64:d1:54:b4:7b:1b	monarh
	Wi-Fi 4 9@40	66:d1:54:b4:7b:1b	monarh-office
60	Measured AP-7c:04	Tp-Link	
	Wi-Fi 4 11	c0:06:c3:62:7c:04	TP-Link_7C04
61	Measured AP-83:6c	MikroTik	
	Wi-Fi 4 6@40	dc:2c:6e:d7:83:6c	buhzachet
62	Measured AP-84:29	Tp-Link	
	Wi-Fi 4 4	1c:3b:f3:b8:84:29	SoloLink
63	Measured AP-87:c8	Tp-Link	
	Wi-Fi 4 4	34:60:f9:a6:87:c8	TP-Link_87C8
64	Measured AP-8a:e0	Tp-Link	

Wi-Fi Network Report

	Wi-Fi 4	1@40	cc:32:e5:eb:8a:e0	TP-Link_8AE0
65	Measured AP-8b:e2		Sagemcom Broadband SAS	
	Wi-Fi 4	9@40	8c:10:d4:c7:8b:e2	ROSTELECOM_8BE2
66	Measured AP-91:da		Huawei	
	Wi-Fi 4	11	40:b6:e7:4f:91:da	HUAWEI_91DA
67	Measured AP-93:d6			
	Wi-Fi 4	9	32:de:4b:ad:93:d6	
68	Measured AP-98:46		Ubiquiti	
	Wi-Fi 4	1@40	74:83:c2:58:98:46	
69	Measured AP-99:3d		SHENZHEN BILIAN ELECTRONIC CO.LTD	
	Wi-Fi 4	11	10:a4:be:f4:99:3d	Pantum-AP-F4993D
70	Measured AP-a0:0a		Tp-Link	
	Wi-Fi 4	9	00:31:92:4c:a0:0a	TP-Link_A00A
71	Measured AP-a3:4a		Zyxel	
	Wi-Fi 4	8	b0:b2:dc:3e:a3:4a	POSETI
72	Measured AP-ac:97		MERCUSYS TECHNOLOGIES CO., LTD.	
	Wi-Fi 4	11	00:eb:d8:82:ac:97	MERCUSYS_AC97
73	Measured AP-ac:97			
	Wi-Fi 4	11	02:eb:d8:81:ac:97	
74	Measured AP-b2:80		Tp-Link	
	Wi-Fi 4	1@40	68:ff:7b:dc:b2:80	TP-Link_B280
75	Measured AP-b3:65		Tp-Link	
	Wi-Fi 4	4@40	b0:95:75:da:b3:65	TP-Link_B365
76	Measured AP-b6:71		MikroTik	
	Wi-Fi 4	3@40	64:d1:54:b2:b6:71	monarh
	Wi-Fi 4	3@40	66:d1:54:b2:b6:71	monarh-office
77	Measured AP-b7:c2		Keenetic Limited	
	Wi-Fi 4	4@40	50:ff:20:5c:b7:c2	vbn
78	Measured AP-b7:c2			
	Wi-Fi 4	4@40	52:ff:20:7c:b7:c2	
79	Measured AP-be:60		Tp-Link	
	Wi-Fi 4	4	e8:48:b8:1a:be:60	TP-Link_BE60
80	Measured AP-bf:4e		D-Link	
	Wi-Fi 4	1@40	a0:a3:f0:f0:bf:4e	2_4G_MegaFon_DIR-815S-BF4B
81	Measured AP-c7:4c		SERNET (SUZHOU) TECHNOLOGIES CORPORATION	
	Wi-Fi 4	11@40	f4:23:9c:67:c7:4c	Beeline_2G_FF6417
	Wi-Fi 4	11@40	f6:23:9c:67:c7:4c	
82	Measured AP-ca:cf		Tp-Link	
	Wi-Fi 4	4	e8:48:b8:1a:ca:cf	TP-Link_CACF
83	Measured AP-cc:d7		Ubiquiti	
	Wi-Fi 4	6@40	68:72:51:70:cc:d7	MS
84	Measured AP-d3:2c		Tp-Link	
	Wi-Fi 4	4	b0:a7:b9:61:d3:2c	TP-Link_D32C
85	Measured AP-d4:de		Keenetic Limited	
	Wi-Fi 4	9@40	50:ff:20:d0:d4:de	Keenetic-6457
86	Measured AP-d7:25		AO	
	Wi-Fi 4	11@40	1c:ca:41:3d:d7:25	Beeline_2G_3DD724
87	Measured AP-d9:7a		Tp-Link	
	Wi-Fi 4	11@40	ac:84:c6:4f:d9:7a	TP-Link_D97A
88	Measured AP-da:f5		Tp-Link	
	Wi-Fi 4	1	10:27:f5:9d:da:f5	TP-Link_DAF5
89	Measured AP-dd:d8		Ubiquiti	
	Wi-Fi 4	1@40	f4:92:bf:e8:dd:d8	
90	Measured AP-e1:28		Tp-Link	
	Wi-Fi 4	5	b4:b0:24:4e:e1:28	TP-Link_E128

Wi-Fi Network Report

91	Measured AP-e1:28			
	Wi-Fi 4	5	b6:b0:24:2e:e1:28	
92	Measured AP-e1:70		D-Link	
	Wi-Fi 6	36@80	a4:2a:95:3e:e1:70	машала5G
93	Measured AP-e1:71		D-Link	
	Wi-Fi 4	9@40	a4:2a:95:3e:e1:71	машала
94	Measured AP-e2:41		Zhejiang Dahua Technology Co., Ltd.	
	Wi-Fi 4	5@40	fc:b6:9d:0e:e2:41	WB_JO
95	Measured AP-e5:2f		Tp-Link	
	Wi-Fi 4	2	84:d8:1b:84:e5:2f	TP-Link_E52F
96	Measured AP-e6:84		Sercomm Corporation.	
	Wi-Fi 4	10@40	0c:73:29:d4:e6:84	RT-WiFi-F682
97	Measured AP-eb:50		MikroTik	
	Wi-Fi 4	9@40	c4:ad:34:7b:eb:50	monarh
	Wi-Fi 4	9@40	c6:ad:34:7b:eb:50	monarh-office
98	Measured AP-eb:96		Tp-Link	
	Wi-Fi 4	11@40	84:d8:1b:ad:eb:96	TP-Link_EB96
99	Measured AP-ec:d1		Tp-Link	
	Wi-Fi 4	2	34:60:f9:e9:ec:d1	TP-Link_ECD1
100	Measured AP-f6:d7		Synertau LLC	
	Wi-Fi 4	3@40	e0:bb:0c:03:f6:d7	SamaraLan-16
101	Measured AP-f9:9e		D-Link	
	Wi-Fi 4	1@40	a0:a3:f0:f0:f9:9e	2_4G_MegaFon_DIR-815S-F99B
102	Measured AP-fc:bf		Tp-Link	
	Wi-Fi 4	1	e8:48:b8:9e:fc:bf	TP-Link_FCBF

Network capacity configuration

	2.4 GHz	5 GHz	6 GHz
Minimum Data Rate	12 Mbits/s	12 Mbits/s	12 Mbits/s
Number of SSIDs	2	2	2
Max. Associated Clients	200	200	200
RTS / CTS	No	No	No